# Aviation Week Including Space Technology

March 17, 1958 75 cents A McGraw-Hill Publication

Work Helps Man Combat Space Effect

Thor at 100,000 Ft.





## BRUNSWICK

proudly announces the acquisition of

#### PHILBRICK-STRICKLAND LAMINATES, INC.

Pollural furthful his metabasis hisration of the zero-towns laters attention, in posteri, not profess to the reduces feed as extend year term with site to because that he reduces of variety asproved electric energy of size from the profession with a first content of the profession of the profession

**BRUNSWICK** 









If s to al. Does magnesses to long plots costs up to 35% less than after high-respit to ding needs. The feedbaseast observations of magnesian power valling and costs thereal flattening to a degree of flazous and author smoothers intellective for vetacify all soding teen. The flattens in on detainable is after lightweight to day, nutriends without costs in other lightweight to day, nutriends without costs.

the most enachable of all stelling metals BV every to ext, to whit, and to bankle in the slope and heldweight engen-hans sook such more efforces weeken. Executions, and you will find that enegations occurtions to any, comes uses the transforms, comes new to take the whole keep from your Down major reason applies. Despite his bulley or with its trim one controlled converve, Mellind, Mechapia, Digit.



S. R. Fuelly Co., Inc., Tyudhurut, New Jersey Bullance Magnesium Compone, Los Angelos, Californio Viscon Steel and Alandauer Co., Dalles, Jenes

SSE BSE DOW BUTLEY of the Potendights AETS Dove, May 1-6, South 1453



#### TION CALENDAR

Max 24 No-torond Manney, Ann Malendan, Serica Black, Walangton, D. C. Max, 3452—Learner, D. C. Max, 3452—Learner, C. C. C. Mar, 3452—Learner, Malendan, D. C. Marker, Malendan, M. C. Lander, M. Lander

Special Communities Scientific States Special Special

Averages Breedy at Machineal E.
sons, International Amphibitions, et al.
B. Helderice Trates Requested of Contact Unit of Security States and Contact Unit of Security Househ Househ Househ States Sta

ing New Yorker Head, New York City feet. 22.24—Will Electronic Component Condysters, Anthonoline Histor, Lee An edit Calif. Spr. 22.24—1955. Acarol Conversion, In Exemplical Addition Not getting Committee Periodith Head, Mee York, N. Y. Am. BAM, Green A. Antonoline A. Martin, Mardel Martin, March Antonoline A. Martin, Mardel Martin, March A. Martin, March M. Martin, March M. Martin, March M. Martin, March M. Martin, Martin

ANYTON WITH Including Spece Sectionly,

STATION WAY, SHAN IT 1999

#### superior resistance to shock and vibration

CEC's pat pressure pickup for syntelle applications

The extensely roughed Type 6-260 Federal cursor Principal Princips while for operation in a high-violation terroroment "consums also date and differential pressures of inter-currents fraction to 100 ps. consum at

of ninewrotine fluids up to 200 pm, operate at temperatures from 145° to 100°F. As absently high-land do expres elements the cent for impediateant for a patient of the particular sections. Personnel

technic or approximately pay a force or arms opends and remains coursed to the potentionous fastor. The 6-380 is bell the max of typical principlement paletings. I went noted by an

or wase for Bulletin CEC Transplacer D

# Consolidated Electrodynamics

Detrodynamics

Terro Moha Pills, Pandine, Castrode

Histories Laberta in Desirablettas

Bishecies, Pecandis von Robertos

ACTURATORIES



Canal Canal



Designed by ELEMED

missibes for the world teday . . . For the universe terrerrene IS THE BASIS OF SAFE GROUND MANEUVERING

CLEBSCO power storring and

the observed and records technical with the following:



AEDO DODOUETS INF 210 E. Marville St., Coverer, Celifornia

Controver, someted by As Force Office May 1-8-19th Associa Marting, Associate Society of Teel Engagery, Philodelphia

June 16 H-Second National Convention

Age. 19 22 Western Harrowin Shop, de State 2226-1955 Meeting, Prolespool

## **New Hydraulic Pump** for 550°F and 12,000 RPM Service



#### Sizes and capacities designed to meet your requirements

seed for a lightweight, compact and capable of opening In address to the 135 co us pasts discussed, other pasts

goes which is creasing pervious semperature basies for Mail coupon for complete ashesost data on the new Sundatund pump for best semperature senser





. How & same . Speed 33,000 year pared, engaged to 18,000 year. . Bischerge Prassare, 5000 anto . Cutoff Mankeyan full flow arranges to your flow arranger

. Charlespensor 0.155 ravia, cry. . Works All h. . Size 4.344" granual bright, 4.452" ever-oil width. \* Labourel or Fluid Age of these common to allower . Volumeter Stirtenery Trill, at rained speed and processes. • MI Score Characteristics confirm to MILP-777808

within 50 est.

Please and date on pure for 500' server



## SPECIFY LINDE Sapphire

UNDE Supphire is . . . Hard—Nob 9 Transports, single crystal, pure absentes coole

UNDE Supphire bus . . . Strength at elevated conquestance in High noting point - 2000' G. Excellent IR transmission at high temperatures

For more Referention about Linux Supplier. — New "Crystals Dept. AV-32" Linux Convers. Birrows of Union Carbole Corporation. 38 East May Breen, New York 17, NY, A. Canadia. Union Convers.





N

POINT

LINDE Supphire is evallable as... Viedos Dono: Eads and tabes Survey shares to miles



## Largest airplane tires in the world retreaded by Thompson

Over 3,000 Thompson Trends have over the saven out of retired stonigh under the great weight of the manmosts Toughts Gibbrouster to prove again the manletity and superiority of Thompson trends for beavy enverocceal author perp and pet sidesses.

changes and it aufo. The range of Thomason retwelving

includes the sines for most every suplace now Eging or in production. With 5 plants and a network of delivery offices, Thouspoon is the traly dependable certical storace providing fittee. Leadings Revends and the new Jet Yeaf.



THOMPSON Arroraft Tire Corporation

CATTRIAL PROPERTY. (COME & Service & Service DESIRE SEEFING DOORS & Tox

LEGACION Depart to Francis

AMERICAN DATE AND ADDRESS OF

COURSE AND ADDRESS OF THE PARTY AND ADDRESS OF

Personal La Will Will England

C C Sweet Series

ACCES ON

GEVALUE.

NOW 1046

resident made y made 2 Companies Vin far Minetoman Contract MON At least six confrictors compete for onlyane, Thickel, America

First July to Use Interior Facilities 28 are that then I Stell have been \*Only See Francisco is completely ready to handle pessengers whos the crains begins 737 service next your 106 ARGRES I LONG David, Ballard Scottery, Report Services \* Simulated areas flight shows that more one Evenome psychological CHARGE Referre phone. Fard facione

Wart Selps May in Speed Sulley Sealest Workers of State Launch Pt. Player Stey has Speed Seas National Sealest Local Sea Copyres Approve Spreiging Unit Nortestes Boostey Seet Band MARIA DASHIELDAS

Assessed And Minch for After Condier Yest Program 118 Septer Britterd for Water Barn braidbeiter Fach for Attack Plans

String Traffic -- America, 1950 Party Assembly on Canada 188 Species Musica Scales, Section New U. by Hardige Eightybores

to believe Facebook theirsaic Tope Specia Benerophene Plast Stein Shoord in Cross Plags Life - Solden Transple Soll's Supert Organ Industry Action

Arine Group Group to Industry 

COVER. SCITT III long cases photo of a 62 ft. Ther Bring taken when natedle Care Conversal boundary etc. Second 8021 crates we exceed ramified of Vice Reach Fig. and their creates a needing completion on him federales,

Shole Sense G. S. D. N. N. H. Cole, N. St. D. St. Cole, St. Col. S 73,037 copies of the true priced



#### RADAN joins the jet crew

Today's military and let-liner grows have an add-contained systems in the world proved over milnedded member - on 30-pound assignor named. Boss of operational redor Record release of RADAN Systems for coding Gurding the place with pinpoint precision telluse new makes their benefits available to correspond ing the pilot his coast velocity second by second: BADAN terres true and direction had for the agriculture. working submedically, continuously, without faligns opposites a priority marries of safety for all

More important, it aids increasizably in the special-

ful completion of sufficery message. RADAN antigaters are members of the faxed



have literally revolutionand flight. They see the only mount, recessor common recovering research, it is THE RESIDENCE OF COMMUNICATION NAMED SPECIAL PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS

-ORGANISH MARKS 2 1 June DESCRIPTION AND ADDRESS OF A PARTY ANATION WEEK, Blanch 17, 1959

for tomorrow's space meapons systems...



#### **Electronic Ground Support Equipment**

Look's west experience in the fields of electronics. Unrambed experience, highly specialized engi-

Lesk know-how has already roughed as emin-· Manife Transport Temperature · Simulators 1 Conveyment Assembly · Optical Systems · Go-No-Go Test Equatories In these seess, as other situally arroand support you For a constribution brockers on Link's orginogra-





LINK AVIATION.

#### EDITORIAL

#### Salute to Al Boyd

the flight test center at Music dev take, and he prese-Valued Opinion

#### He fire every type of U.S., British and French as

coft of the post-war generators, fittingly divarence his became unaccially accepted as the final word on that tabade. USAF did not been a single firing machine or he personal storag of approval, and few U.S. dallan-Pet Flexury, Dick Johener, Clen Edwards (for where Edwards AFI), was marred Charl, Yearer Pete Bornet

#### This country was the first to fir a more finiter them plots have flown higher and faster than are book. Ingredient for Success

Progress of the U.S. during the first supercent decade has been a height spot as an otherwise more technical


One of the wind recreditaris in this necessful formula tenten rate from the Gree Smoly Mountains of own convention or the secret of his official hances class to Al Boot's effects. He consumuled the next

agreement sensistences specied the draw to peak priored assessft past the speed of sound; he established

Perceiving the Need "Al fixed was mally the father of medices flight was

expensives exceening in Sold and transitio them

# PRECISION FORGINGS By WYMAN-GORDON



The forgings illustrated are typical of Wyman-Gordon close tolerance forgings that have been produced in quantity, in stating problems of tolerances, design and motallungical quality, there is no substitute for Wyman-Gordon experience.

#### WYMAN-GORDON COMPANY

FOREINGS OF ALUMINUM + MAGNETIUM + STEEL + TITANIUM

WORKSTER 1, MASSACHUSETTS

HARVET, ILLINOIS - OFTROIT, MICHIGAN

#### WHO'S WHERE

In the Front Office

In the Front Office

By Uspl' V Bridan, granded of boses
sted Universities, list: a factoric Trans to
stomerois, list, to Bridan, Trans to
stomerois, list, to Dellay, Tex Joseph M. Loome, Br. promber, Tod.
South Helymond, Caill
Joseph Go., contriev the granded, and
Joseph Go., contriev the granded, and
Joseph Go., contriev the granded, and
Joseph Go., Contrieved, Text. Helde, N. V.
Contegt: In Fidelity, a note prouded.
Control Links Co., Non-Tod., N. V.
Escritt's Deliver Editories Demons, do
seen. N. V.

Dr. E. M. Esblera, a non-pundue, posterio, ed arrent longer de Farrish control acquest e Farrish Library, and a farrish longer of Farrish Library, and a farrish control and posterio motion. The Coll Refs Co., below. Free Constitution, control and the Constitution of the College Con

von I der Liese De, Lee Angales, Calif aler W. E. Bende, von geschiebt site

"Growth B. Wild, the ground an artist of the control of the contro

the first figure from the first figure for form for form for formation. The first in Co. Dawn, Cole Lee, Chel Nicel Lee, Chel Lee, Dennis Lee, Chel Lee, provided and chel Lee, Chel Lee, provided and chel

trades of the California Exercise of noise. (Conditioned on p. 92)

## INDUSTRY OBSERVER

The second secon

of October, 1906, for the metal informancemental stoppes relates: Specific members of the node propolitiest posseption periobely will be bette maximal to fee Polises well beyond the 1,500 cm range.

Filled metal additive developed than for to help take the specific require.

of the Polens is powdered alamanana which is possed into and modeled with the mild proposition. At present, the adultine separates between 10% and 15% of the total proposition single.

► Asia: ICSM is tracked arrow country under persons to kepp at this sken from colloping. Integral topings is lept presented by bestied gas transported on the confictbic Adia trake:

• Now Nays attack plane will knowle its atomic storic by desig them from a commod density field in this baselogs. Now force, and not decigned in the force profession of the system profession arisely and high supersional board deep from tooler the value of each of a consultanced bay.
• Complex Narshe interconfined consultance for the profession and the system of the profession of the professional consultance in the professional consultance in the professional consultance in the professional consultance is the professional consultance in the professional consu

the second control of the second program of

Lordhold 377 a rate light fallers proper to the some our extractors in the Nechrolm 918 if These is being probled hearth in Europe in loving the same general mission exploitable in the N336 plus prints speed.
 Pair Reteroids and Development Commend is considering the trender of its Biddeel Marks Devicine handquarters from higherood, Coll. 16 (Dovagh.).

 Commune 3.11% If of dualing in dated with two commonless visited from their authorization deviced when bending per notices dualing the latest seven distance, at prior foreign to extend from during from expenditures.
 Addition of two laws piece obstrated are for more than the same of the planet vestical pholologies.
 Prior Moreo, C. III. conditions invalidable of drawn for reprovide uses.

anoble around such version in account of such part of security as part of security phenone.

First low off of cockput in Lockhood F1D4 incorporates no four to repport bladder type selfs which days over version introduce for maximum

Soler Ammit Co. in developing 50 kp. Titus gas testime mar for concern labuspins and freign platform applications moder. New contact fluids printly by Bernard of demonstrate and drawy. The venesce of development include a constant speed YT-GI testime and a verifield speed YT-GO must. Engine companyeasts are already heary forced.

AVANCIN NEEK, Alreit 17, 1992



#### HOW THE SILISDINGS MAN HELPED ...

#### DELIVER A HOT BLAST TO COLD JETS!

Get 'ent jets the sir for ! But complex machiners must be worsed up... and

prospent high temperature, high present an into the get engine seeks ordinary boson. The salarnee: A trush, flexible has with two inner layers of high treasurement officers relater baseful to an outer ower of charle was on "Dances" floor.

Philadelphia, Pa., this bose stelling Usary Country Sificone Rubber to resist temperatures from 4:550 to -50 deg. F. Weighting less than one pound per fast, it offers

some flexibility for one of heading, and is highly assisted to absorbe This is another example of how the Unite Canton Sillicones Man has belond solve an "inconsible" problem.

products, Write Dect. O-33 today, Silicanes Decision.

The west "Classe Carbide" is a registered hadronack of UCC. At Coredo Bakelos Company, Dorana of Viscos Carbolo Coredo Limited, Thomas F, Ontonio



#### Washington Boundup

#### Killian Space Proposol

NATO: More Missiles

for Nac outselessed creedes, 556 wellow for Blooms **Employment Stimulus** 

Witch for Dr. Junes R. Killers, musik otal seconds:

#### Conital Gains

#### Civil Aviation Black Incatazion of Federal Regulator Agencies by the

## **MATS Investigations**

-Washinston staff

#### Airport Acceleration Circl Assumetics Administration of the to administration

recent, personally and reports to the store Francis 1950. will be recovered to an ateriary of over \$6.7 million for

#### Space Decline

Switch as prophoto from speer to secretor in the House (AW Much 10, p. 17) is she endest in the

## Companies Vie for Minuteman Contract

At least six contractors compete for airframe; to examination network, lead Thickel, Arrojet, Astrodyne developing engines. Les Aspeles-At least sex coupe pre-

D'onfologe-or couractes for USAF's source together so best exceed the ness builder weath, on which percagazet for Nassravana are Thodas Fettologue and others Phillips and

Rejected Schower · Burring sees in combuston chara-USAF's After ICBN and Nov's submargin humbed Delete BREM. Comther IRICAl goolings notes and o

Membrasa began as a bood con-· Laide, which acresses more and

Tinker Tee' Concent Another basic characteristic of the Markowen program a the Traige array the eigne steps to produce a No country has industrian as as Engine storm will have a birth man-\* "Tinker Tim" windowsky recentry of

Propellant pushably is polymerhous: \*Sestem in designed for runnium ob-

History of Maustanes's solid peopl-

Sergoast Utilized In March, 1915, it hand a consultant

by California I superior of Technology's

nearlies lowach senousphi The configuration and the fact that

. Exphensio, rande thrust rector con-. It did not believe lightwoods sould expect to difference in statum and \* It befieved your performance and

solid peopellest pocket, absences door development proposals in which it had Easts in 1957, New paint Air French

to belo it resident its progress alone

B n resignately dependent by

not, although the work in level on

Manualments Indutes of Technology

a proced-graceman IREM. Close USAF New cooperation probable

Dulles Doubts Wisdom

Most cretical of Duller' testomony

Of Moon Launch

added, 'when we counter that the

cook is not describe

The end percery decores (AM Jan 27, p 20) specifically endered USAF

Scoutse McDarr's accommodations on recognitionies were due to be made for Secretary Boards hold the House Assort Servace Connective seconds that he did:

yes at 52 palling to \$5 pulling we consider before the find whether was unde-

USAF Anneals Anti-Missile Decision Wadowise-An Ferry Secretor Josep H. Dosale for arrested to Defense

Scotter Neil H. NcClare to civine a branscathold decision and after Ar-

USAF still does not believe Agent's Nilso Zeas contain has the rismath resolution

Also USAF dole two great a sisk is involved us solving on only one orders of

taken" one of which is "Fee most offert tota developing and minde conden." Homelein, McLico count a mercenture describe to bot trace class to

'is sale: to need my meandestending regarding the expossibility for fature and ECRMs, or should be understood that the function is the appointback of the

"I think if these is corthing to Belowe Department aspectation that should

supers in the air defense are to that there is no linear the chancel of the Afficiach Dougles told the same consulting on the same der that his France

German F-104 Choice

#### Captive Test Program Proves Value in Atlas 'Flight' Data

thant cheaten which are booster See Dicasa-Control Softs and manevoluble, stored of \$1000 no. Water teredy by 716,800 gal stored, wife curbon fact or stored by rack stand,

True stands connect of large service clumber so sed to bee 161,000 fb. USAF MTC, with exception that as-



Titan ICBM Static Firing Saude eveneds Titro retrocuriouslet beliefs much; fast state firms of consolers

propulsing region has been excellented of Discrett, Color, by the Martin Co. Further and Amount General Core or project; or every win carest that heavy many "hortexiss" made be used Garagh more tests. The suggest steed med for the test is use of force

verify he additional monal hold-low-r nowhere some \$3,000 By, considerable crecure vestilities, lighting, con-

hydronoutaken for completes a the seas at that at Case Contract enables but they from the two places

which commutation technique con be used, but 6d channels available, wall Countdown for on Albo ray at Syca-

four lower, with bold provinger (i.e.

Space Technology

## Pt. Mugu May Become U.S. Space Base

Mende Test Ronge of Pt Maga, Cold., could handle solution with an areach USAF's Marik Test Center at Cape · Polar orbits are be established by art/fater fixed from Pt. Moon had not These texts lend some top officials profits could seen always all the so obstacle of 1,000 cm plus. Exten-Concessed Still Innected

Pr Mega a uneratical. A figure to the world be neglect course the that reight be endragered by felling USAF a muscle towning units of member Corn Drote, Cold. Cape Concrete \* Proporty - Agorganizately VL030 array In the recent expension of Money Correspond Space officials believe that

Alouette Jet Conter First Strings of Donales That street ette III behoupter to Actor Helmopters wheeled to be made from Cools in at \$50.605, such interpretation and radio Artes Helicoptes, which has Leter, on cost west montaring was Breakly Assessed analy Assessed Helicipar Divisos will delaw adda

A 500-ms inlead songe stretching fears. Pt. Mego to Accepts Provide Greated at Diarsey, Utah, also in hexaestablished for friency of secondary and Flights will end an either recover

Johnst Roose Cost Total over of operating the range to content which has not set been At fight will be made not un Adjuste Test Bangs, New York over skinder some 66,000 N and he heat

> Restor. With Sound total on the have of Buring pt would suppose Test will deploys floor removals conducted by the Fost Authority for

Republic Delivers First

Support Complex Surrounds Atlas Missile Launch Site











AMATON WEIG March 17, 1910





#### Polaris Fleet Missile Stressed As Inexpensive Deterrent Weapon

Somework, Calif -Role of Palent as some the very latest in components. first bullimo merale as a determine Rabsen upon abstract inter-service cosame, during his vost in Lockherd should not be stormoled sets bodd



Ther Nese Cone Combots Heat

They need come, shown show on its recent craffe, follows flational mentions of Arlan one one configuration. Choice of Kingt slope autorates that expellence in an atill make to come up with a new lock-temperature purveil that is able to unfactual cours. While Meathers slows soon collectedly to keep heat heiden within scoopfible break, it introduces began used delib come with branchon and the makes weekend come to returned with not remain merely. Air Force has colored the Created Electric Carlo Mande

Reborn declared that Police had . Solid propollent or a "plothered rob \* Control rates for solul associlitat

Dontseed on the southby of dropping floring pole measuring Fo-Connecting on possible of burnelow the Policy tion a booker. west, difficult of the technical problems

. Lot of weight in the schemers, as Adoptate number of Polens remites

The Observation island to a follow on

. Nine wacker subscripes will com-

area the dest consultaness of andrones or the horse weight of the mixing no. New's concerns in terror detection • Processo, so survivational set at our su raspect to subsquited program X-been with its skep worted navigation traken. Togeton and that, again, one of the (SINS), 'w dwag quer wall Nonecous studies in the adaption

Anti-ICBM Version of Talos Proposed Beneath Laborators is respected in

Birge of the Takes also would be usreason to 100 ms of a Lengtst sec-rental interrect and Life schooled than An othercod Talos, Adm. William

the most applicated Lefe in still in

## Nuclear Rocket Power Test Site

Construction Spurred by AEC Judan Flats New-Text uses to chale expender station for standing power administration hurbing, wasc explore foredwher of swing weeken · Mechanical amounts - dissecrably landing with 10,000 sq. It of face

withter and facilities in test area for nations at Los Aleman and not in the ments in control building, bented short 14 mi wery Bobers our min France Plate Section to Inches control bushless 4,000cm ft central susuably building, and susuably and

· Mechanical associate describi-

Above \$10 relies will be reconstrol · Instillating and openions of your

#### Legislators Prod Administration To Speed Atomic Plane Project

nitration until it gives a grown light to development of a "fix ontil" engless-powered smooth, Bep. Md. Fore-D. III) charmon of the smar's rule Prior called the President's statement

In a letter to Price, the Periodose

## Chefinging the Prophest's west

as process uplify and would doller schecement of an effective publics.

The development of a minlemore This observe is electly understood by Space, a Resource oppose on the field of control on the research opment of new muterals and test-

Free and Durham phicage that the

be achieved and well be unfaired when could reserve our be exhibited at

we have a controls prompty with close country' by refuering the first fught of

for up a guidant amount (Corner's moved tests. To combase these or a an amportent relation to what has al-

here over level. This is a donorword

Defense Spending Limit Bills Get House, Senate Approval

Washington-Delegar Department all countries date of the message of a hands out socialize college ander Heart to encounts of the menoreand managed to confusion coald be

peared the colony would not be

Arine Plans to Open Facilities to Industry total's about and leavest propose of Ren. George Makes (D. Tex.) Agge's Scholekty Receigh Depost ses to suppose principles of solvine . Young regions and pusherior

Research Department handed by Analytists of Asinc's scholars

+ If the oning was not mucked, the · Reliability evaluation of pricese no . Appropriation fully feating long

laboration or electrons of reliability

but mid that, if populary, middlessi fare Eastern and Western to bequireds the Is its species, the Board and the

\* Assistante in property telephone specifications for vendors and school

**News Digest** 

Mende production learners in in-Award by raraward attenty on the

Chooce Vendt reported 1957 wire Department of Astropautics will be · Guidance in premius and executive

#### First Jets Will Use Interim Facilities

Only San Francisco is completely ready to handle passengers when the airline begins 707 service next year.

New York-America Aidams will scending to Marco Winfiel, von to spend mency on pri position if it

Idlayild Resman Idhwid, with a 9,500 ft leadure for 1, 1999 Les AsyricoNew York 10 to presents no reason problem of union Amenino pelo Sea Figuriação

Chacapi, Roston, Bultonero, Detroit, Ft. Worth, Dicke, M. Leuis, Phones Nesstep Flights The first 707 Eights should be able Theset of American's 157 common

other statem except Bester or known with a 125 ft, although 25 ft on either oder need not be marred for the American roll serve Beltimon's lifeast) will be the first delignous Forence Whetest and American As remote of the rations facilities

taxes for get up: passenger handling IAW Dec 23, p. 76. Taxest date for get due for Neurophys. 1993, comple-The ratine plans to spend about metals a relatively mades conventi-550,000 for inform reprovements at include endowing energement, nothing in a cond construction. 7 In 4 as have

Idlewid, according to Whatlork These

uto defretch, will true in mel aut at ger at O'Han, and the frame and

Intern rescourse is at Charges Man's report represent facilities will without them until the opposition in

he skipe are desponated. When ferger So Awerress sleep with report Argular that on second source

Facility Equipment for handling the arts rober have been

overwell to see on oaks: Hodeast

Daller and netwee Pt. Week and mobile dervise the metallic and have built in more cars and mobile in inhorac air conditionans trateurs tification for building a second-level

softened to carle the more accretchly The revenue which is of theselv deagn errorshing a quel flop, nell giveto medication. That unders to to five suffice characters per serebose ups recorded assigned-softy on both sides of the disks by means of a maying tuen New York and Chango Early Electron and 700s will solve

They is a difference of coupling in

The nest our "manual other," which

Ancien will use the same most Whitlest ferners the posibility that arbies will start of consumary and The big decease for awlines in eqwill be whether to enough them at Trine World Arthur led you that schedule suring would lead to eco-etions doubte (AW Get 14, p. 38) person facts because proton award; open-

#### Electronic Tape System Speeds Reservations: Uses Metal Disks

RAMAC keeps a remaing inventory on Next was Under Concept RAMAC to

Pilot Error Blamed Information goes sets BAMAU from In Northeast Crash

> on Aftern Island, N. T., on Est. I. of an author plot" Capters to crea want of the fight was Alas V. R.

o 10). The short control on Ratto third post while decembing is a eron colmoning to a water beday, during first approach. The other, the



In its conclusions, the Board found

East German BB-152 Model Displayed and recipies according to the 27,000 fb. steel throat (AW Day 2, p. 6). Medium stope pt is expected to be recognised to blue. Four

the operational performance margin encoded to as \$10 decembers on cross

#### Pilots Like 'Golden Triangle' Plan Change-Author pilots have stormed. York, Chesan and Weskinston to Ex-

warren en rec'arren en reute san traffic met myorts. Capt Honey Mauden. "As little as 1,000 ft. of meway. length on 72% of the conversed asnors in the U.S. would never for Truccie convince which was inter-

and added that more whole have

tions were not to traffic control AVAILON WEST, Month 17, 1995

#### Airlift Report Urges Action by Industry By Richard Streeter DIRECT DETERRENT PORCES


procession on sixti which calcu-Perton under suspect of raktin sales.

Autigr Philosophy AsAB is considered as a transporte . Posside fast evacuation of our own

clibs, fed segment and rests sestoms

of handless here, hereng two, assessed which brough his a short, reternal are shown in Figure 1, which bounds of 600s, relaxed plants and refields unitariant preparat commercial or code

Camperus the stunged abilities of Combination of terrainal facilities



COMMERCIAL AND MILITARY AIR BASES MERCETS FOOD FT OR OFFICE





#### PRODUCTIVITY OF KNOWN TURBINE TRANSPORTS IN MILITARY INVENTORY



green, abburgh USAF her en mehhas made as borotes a and nondation. employ n in the causafty of weigh in Bear 4 thous community U.S. and Ranges turber to expect atanton. numbeds of worker Mobilety is the engelighter Dougles study slid and on shift strength months on a change or to-

tills with Spotter's Air Consumed. And sytchetory Maur.

faces with the same about to shall anality on made in the torned intro additional negatives factor in the horiz

le copt bee redown journey this: of sers moveled to fedd I those conditions Corridorer the Civil Reserve As Flort addition to supporty maighle relation milet, the cates cambility selft. Address species attachage of an

· Military femiling of the entire opera \*Limited military funding, plus are. counted prosteror to industry to pro-

\* Exter tealing by industry Aidiff is indispended to the time

wither. Tetratheater and witnessurer returns reacheden

#### SHORTLINES

\* Air Feence has entended ata Countil total of race; then 185,000 mo

. Boned Assess to non-period one

\*Botsh Oveness Arrest Corp. vol.

is Differ under forms of a 10 year level \* Chicago, McCounter Airmon Fare en turnente: serore between Midean

AVAILED WITE Much 17, 1510

\*Colembia Alaced Commission for approved a \$2.1 million 0,000 ft. rm. Fillers of how yours stored on video traffic in the cashington are of

AIRLINE OBSERVER

\* Classes that Civil Accounting Board will expedite the Gapent Passesses For Investigation is originally proposed by American Alabors (AW Jon 27, p. 36) now mean sheld, and the one multiply will restrain themselved ment of 1955 before a faul decrease is under Third and faul abuse of . Asked traffic in February continued to follow the recent meters of

· Bill designed to reverse our demortic transition carrier from applying for schools for our seried after it has more been established that the currer is makiphic for autuals has been introduced in the Hause by Rep. J. Author.

▶ Elwood B. Durroth has been evens as as thorseon of the Ast Canadam+

\*Call Assessing Administration is conducting experiments with Tight he improving stability of signals. The Davids t Proposest Print and in

\* Beltament control ten co operation were recovered to handle the supposeds of Countal Airflore is recisting a Civil Accordation Board subserve to readuce

a study perpend and used by Convincence toward; the union's recent postbase of a first of 550 at temporal. Exposure Balch Winner works the Acca-Reverberton, but Cavital counders them a gravate marke. Memorale, Capital operations offered here been on the West Cook discussion the temperfice with Correle reside, while other officials includiar Persident Devid Rules, here been in Exclud discusses the carriers corned less

#### Airline Traffic - January, 1958

	Personal Personal Miles (011)	denomen Personners	int.	U S. Nell	tapun	Proper	Tenel Sensine Tenedilen	Berrange to Available Sen-Miles
Represent Traces American	601, 360 071, 675 381, 683 497, 133 380, 679 634, 888 141, 683 110, 619 427, 619 110, 619 110, 619 110, 619	011,730 76,160 100,100 21,971 174,764 96,769 162,119 36,714 271,60 203,140 261,49	2 1 2 1 2 1 2 1 2 1 3	1,426,118 907 407 500,509 17,426 277,500 190,110 100,111 100,1	77.5, 240 187, 790 280, 893 45, 364 545, 546 613, 290 27, 380 27, 380 214, 226 214, 226 29, 416 99, 416	6,004,113 277,077 322,479 141,000 911,117 1,829,200 241,203 73,440 084,002 1,743,920 6,603,002 884,700	or alla, ide 1, 313, 773 12, 400, 141 1, 800, 170 60, 400, 223 10, 800, 170 60, 400, 223 10, 800, 100 1, 203, 100 1, 204, 203 1, 204, 203	41 41 41 41 41 41 41 41 41 41 41 41 41 4
NYERAY COM. A merima heraid Corbbone Allanda fields	100	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	1041111	7,650 17 154 1,365 1,365 164,656 17 168	475	NO 100 77,010 1,007 21,000 61,000 67,714	1,01,00 104,00 104,07 67,10 4,00,07 104,70 1,00,00	***
Aberto Affecto Jello Amerika Perilli Perilli Tenno Perilli Relland Relland	1,400 10,400 11,400 11,400 11,400 11,400 11,400	11,400 10,100 100,100 10,400 10,400 10,400 10,400	111	8, 10 97, 07 97, 07 98, 07 98, 17 91, 17		100000000000000000000000000000000000000		
UBCAN Alleghary Barnet is Garbal Franchis Strandis	10,400 14,007 15,007 14,174 16,474 16,474 17,107 18,484 17,140 17,140	8,844 3,411 8,861 8,861 8,000 8,700 6,316 8,700 6,316 8,700	***************************************	7,143 5,117 2,413 14,418 14,418 11,11	10, F1 6 3, 904 1,994 10,000 11,000 10,000 1	1,40 1,40 1,40 1,40 1,40 1,40 1,40 1,40	164 Vol. 166 244 213, 111 168, 214 177, 177 173, 188 181, 177 185, 584 186, 179 187, 177 188, 188	71 101 111 111 111 111 111 111 111 111 1
Hereston Name Today	29,474	4,174		3,112		134,754	400,734	50.5
CAREO TREE  According feel Associates Physics These Establish Esta	3,431	19, 823 56, 519	,,, , ,,,	34,405	17,562	871,438 4,129,433 1,464,670	873, 618 18, 883, 368 1,497, 364	21
MEXICOTES Chiesas Birlingtor Les Angeles Advenge How York Advenge	8,331 2,343	120 4	# 1	1,430.7	1,48		11,672.4 10,678	8.1
Aledra Al-Com Aledra Coopul* Curdove Ulib	1,677 772 3,678 6,674	1,130	33 T	13,734 1-131		107,010 4,920 1,485	241,600 20 044 21,500	21

Not weather.
 Consolid by Avieties Week from at the report to the Guil Americanian Board.

A17 19 5

#### NOW AVAILABLE!

#### Faster, cooler, more economical starting for commercial and military jet aircraft!

Process, portable Jupiter® gas turbine compressor units in various configurations are available for rapid delicery to already, aritimes and military aircraft and missile installations







NOT. We want the first probable patter about and services order as well as the first should do leave of the dependent of particular and as a resultant for an electron of congression or as not read to provide leave whomes of congression or a set set to they's high-dense plet engage and application. Compart and participation of the contract of the moneton or neith proprietal extension, result tracks and contract or contract on the province and the contract of contract or contract on the participation of the contract of the contract of the contract of participation of the contract of the contract of participation of the contract of the contract of participation of the contract of

D-159. Solar Aistralt Company, San Disco 82, California,





#### LOCAL SERVICE VISCOUNT

... o now short-sector aircraft to meet the high-frequency and economy demands of local service routes

Preved Perfermence proved Edit-Hopes pri-prep "Deri" regers are

Built-in Pessenner Appeal 27 refines topert, "wherever the Viscount thes, traffic

Hab-Daralty Country Law Opposition Casts Accommodations for up to 66 passengers, Elandrome

As Accomplished by actual siriles experience, Terroral

Award Construction Bayting Floribility Can execute from 1860' moreover tobaster with which the

Part Tern-Around Curpo can be leaded while #4 engine is rear ing, driving . : wineral assessment steps hadron foully spented

further Information . . . For a sumplete cost analysis of any specific reader by Christopher Christon, U.S. expressentive, 10 Backs-

FROM THE WORLD LEADER IN JET, PROP AIRCRAFT

VIGEORE ARMST ROOMS (MINCHAFT) AND, WEIGHINGS, SHELAND I MEMBER COMPANY OF THE SECURE AND IN

#### SPACE TECHNOLOGY





#### WORK-REST achabits halped Discold Figured (bell) oversome psychological beneath of colletion or sport colon numbers experienced at USAF School of Avoison Millerer, Str. Astroits, Tex. TV protest show him winding skew clock. Restrictes measure of right, Work Helps Man Endure Space Isolation

Total Indetice Difficult

a sotality usbat or translate to the swoved to brading the speer vehicle **Environmental Conditions** 

speer, most of it is a cylinder which te dismeter Trivill us in the releader IR.000 to Simulated

a legh load of wothstem of the war 13,000 ft. level at a rate of 500 form.





MARKY or Area Motival Laboratory's exhibitor come. He is rested its or empt capitals

such frequest distributed grows and decay long principle of patient is to be commed for powers requires year. Me after the control of the con

to selv our a medi popularle and up three the melager.

The record TV virus hundress; probleme that Fauell had to solve die in his 4 his wink pensils. The prises appeared in the record, and it sell responded to these on a passilbethne and earthcat under the solve GAW, Jon 27, pr 495, A or accedipent of the silve of the seemental pentil of the silve of the seemental self-things in revolving. IV adjustment, signific to hope

# Fetigue Problem Televation display was no cele dar sag the 4to- soid parad brankl was allowed to empower this extraction daying the sent period to see what pace to

what pace for ther he would hologists also subject would be to enapers of the find the best week-out cycle fights of any given decision. Business of the find the strategy will be by find landale float control of the strategy will be by find landale float climinates the fargure or and keep the accurate professor of a continuous float have continuous float from the test was performed by the street float was performed by the control test was performed by the

Separate the was performed to First ell as address it for the problem-ships with the VV across. Doing one of the region of the VV across. Doing one of the region of the r

or some. He is model to or drayer offices

effect.

Comparison of the comparison of



Tracker Phatographs Sputnik I Rocket Spatch I minds stop is phatographed at about 590-mi. debaser to Perias Eleon NOTE option maint tracking perion operating at McDonnec Books, 170. Tracker has require



#### BASIC DESIGN OBJECTIVE:

Economically Sound for "Turbine-Age"

for "Turbine-Age" Short-to-Medium Haul Airline Operations!



#### Why Emphasis on Sound Economics?

The Airtine Enjame... 'Profitteen Prognerity'

Today, airflows in sit pures of the world face a unique
discesses. Tradic and gross revenues are growing repolly.

The costs of operators are priving revenues repolly,
after white airflows for concentrationer explain costs
to be interested as the latest concentration of the latest costs.

#### The importance of flound August Economics

Passenger-algibras economics involve two interseling groups of fratures (4) First costs, fight and manufacence

even, overdead (2) The suplant's psylond and revenue potential at pro-fixed rates.

This relationship antichidates the relative modifields of

May retrieve.



However, analysis of an eirplant's science profitability as solid only when these economic factors are applied to the specialized "one and environment" as which a will

and higher passeager unit treathead,

Yet profit or less in "shore-to-medium hast" aperations
determines over-all airline francial success?

# LOCKHEED ELECTRA-The Only Realistic Answer to the Turbine-Age Need for Sound Economics in Short-to-Medium Haul Operations. Sectific Economic Design Objectives

Not and high a operate poolitably with few passengers on P. Canner trulle density routes....

But his except to operate on high density course with frequent salvedules for mandenary passenger appeal.

Tarbouvey NOT Turbo-jet, to produce wide mangina of imputedly in operation requiring many steps, many other offs and indeges which require. (1) While shocks of crains attende freshirbly; (2) No now techniques as are testile control, approach, holding or landing, (3) Someting on short or day transport, (4) Opick modern-

Electro functional dusign tentures were defined by the expedence of American Ratines and Earters Airlines, checked by the spendership of:

Associates de Maxico - Americas Bolines - Seneti-1998 el Rechella -Brandi Arwega - Cathey-Peodie Armaga - Elebera Se Liesa - Baruda Indocessan Armaga - M.N. Royel Dutch An bran - Relieval Arrines - no at enable speed recoled, considering sh

fitnes at lower croise shiftodes Produces aboves rispand above on "energy-step" schedules—with full all-worker operation.

SHORT-MANN, REPROBERCY BESIDENCE ON Electra special abilities metado: —Allity to raske as priston without on roots refuelles.

—Askity to rasks as any stopy without current reflatful,—Orbit on easy servicing for short stopy team completed by: "Peckagend," separate electronal, hydraudie and sur-coeditioning center. "One point" high speak relating to "Systematurd" describances servicing, and presenger lending. "Record Palein" windshield, "Corry and houses freshifer.

E PROPER TOOL PITTED TO THE JOS

LOCKHEED AIRCRAFT CORPORATION



600 Markland Street - Mitchilaux, Contaction

can be put about supthing), you can soly on Sefemay Augment to study your grablest and - without

Spanner all resembled for

he will have the stoodston of decrease new frags and as awastern of the superstance of what he is doing of those duings will combat wherever archalogical dangers count from total

More Experience's Pinesed
Space Moderns Department has will
conduct more experienced of this bus

conduct users expenses of their te find out town should here man we best as a solider instrument. Seems town will be shawer than formed copenitude, and others will present expenses.

A two-man space value simulation in the west character of the solider of their soliders of their soliders.

A two-man space values simulation in the work of their soliders and should be made appearance below the School of Arms Machinet solves to their quarters of a best from their solutions are sold from their solutions.

total robotsom is a delical constant for most to colors for most tax 24 hr. Fast that a high sloper of modeline spiely herein down the robotsom of consummed internation who have no personant personal beast such that slove treatment in moderación the three rolocages are se the modeline of the her way 45 hr. A modelial claim have visible and the have the slove that way to the modeline of the have the second of the have the la try to shop as for 73 hr. Athonyla he model short at 64 hr. But he model

on they are considered, buried 28 on a 20 th respectably. All these texts have been consisted stone the first of the view.

One of the other production of the consistence of the other of the others industries conditions of spece flight, LAW Park 3, p. Ell, time solutions does not exist an Earth text to predict of special of special or other conditions. One the condition of the condition of the condition of the condition of the condition on the general for extending people in the condition on the general for extending people in the condition on the general for extending people in the condition on the general for extending the condition of the co

Centinating Research Programs
A conference pattern by approximate statement of the Conference of the C

Door to the stool is ideast unlosted to subject our sulf, get on the expenment say base be in so included. A modest officer of the Sevan and Frigory Scholler of the Sevan and Frigory Scholler of Sevan Scholler of the Sevan Scholler of the Sevan Scholler of the Sevan Scholler of the Sevan Scholler of Sevan Scholler o

effected under stoken confidence.

form:

To Guilline tends to being out may conconsistent graphed open in publishing

To Guilline graphed open in publishing

the state of the state of the state

To state out the state of the state

To displace text induced as seen of

To displace text induced were not as

To displace text induced were no seen of

To displace text induced were no seen of

To displace text induced as seen in

To displace text induced were no seen of

To displace text induced as the seen of

To displace text induced as the seen of

To displace text induced in the seen of

To displace text in the seen of

\*\*To product a since the industry time on secretarists is a conclusion.

\*\*To be the conclusion of the product of the product



Jupiter Size Contrasts With Redstone Importor executes underp of LOGos, hydro (hop) which is being used disting this is too of profession engineered of Chrysler Clary, marris plant and Deball, follow, and content of 200ms, tradeling in amounted in terms to be supplied and

AVAILON WEEK, Alexis 17, 1998



MAJOR INTERNATIONAL AIRLINES USE ESSO AVIATION OILS THAN ANY OTHER BRAND

in priction turbins gift the synthetic EATO 35 confected by fire in 1945, is still the only of approved for the world's most



80% OF ALL INTERNATIONAL AIRLINES USE ESSO AVIATION PRODUCTS



USAF Group Gets Bomarc Training Officer from 4753d Air Defense Missile Wass, 19sd Air Division, Yorkell APE, 70-. wheel as lightly. Model to descripted a of account flowers have Officers will transfer to

Boring Pården Akrodt Divisio, Smille, for additional business, then by bot fiving unit of Cipe Concreted, Fits, Study to Remot operational test has near Ziglio AFR, Fits, medical remech personnal were us. He has a refrigerator supplied with cold faculty and linewide and a sharpered "whate" sound because, like white Right. Before thering the experiences, sale All fired, continued in plantic boson, constituents such vegetables and viding a very this light source in the required to west goggles of finaled gives which to differe the light that without my reduction of discosl Boom provides the subject with

soles of changes in the subject a unpert record of the robest's activireceive of a cockpit superir which

THERMAL and FLUID DYNAMICS

-have started-Industries to new fields ahead

Scientists - Engineers: Leaftsmen.

Inquiries invited.

Turres Farcture Meyers Co. Inc. PERSON NEW YORK

AVAILON WEEK, Month 17, 1958



Eimac Announces ...

Five New Ceramic Reflex Kivstrons Two properties frequency senses in the C. X and K bands A new Chand take the 1971/25/CA source 2000 to 4400 Mr. Power levels up to 2 worts make this tube idead for rehable broughouse post-to-post-compromentation foring

The few new tubes of the 1620 series cover \$500 to 11,700 Me , or person levels us to 90 milliousts. They are vikestice levels of 15G in any reference plane, with less

than 100 idearate formers devestors, Law busin with the weight and complexity of approprial equipment.

Mary information on Singu rafter blockers is evelloble from our Application Engineering Department EITEL-McCULLOUGH, INC. SAN BRUNG CALIFORNIA

Elmac First with coremic tubes that can take it SENERAL CHAPACTERISTICS

200 No.

15 m 2 f W

sithing to shook and advance between formed cooler and

higher operating temperature ratings minimize cooling

Cince know how in the field of cecond-metal take sleeps

of Sold and award to determine which

are the wort early supported by not-ANIATION WEEK, March 17, 1995

RAF to Buy Missiles. Cut Aircraft Outlay They are held mount his feet by

At about 48 hr, the fact that he had Observed abbreville their could have

Legers Chawter

Ther Missile Personnel Training at Donglas Plant

Corena



But the new Sensesuch Model onggo RPM you'll recrease your hour author specifying rate of yet has a higher codarouse factor. excreed Model M74DH Write SENSENICH CORPORATION

SLEET

nor SNOW interrupt production



Debiliaries senter of the Brade

Wille Lodge So: "THE JACKSON

## LOUNGES and GALLEYS



AiResearch Aviation Service Company does complete design, engineering, fabrication, static-testing and installation in our own facilities

locates and calleys, Requirements as to design, hearte describite exception which and course eardition. Also under the same roof are complete engageer seg facilities and about metal, falore, wood and Our freibites can endly hundle all propers. We tions and will do one or all external absenter as



briteralismi Almen Ses Annales, Calif - Manhare Olivera B-1787 Connection and Medifigation - Contact Indiana - Electrical and Implement - Bedle and Electricals - Engineering Service - Equitational Service

Your bundeles are booted.

#### Light Rubber Balls

Store Missile's Air of Arm's Jupiter C believe music roberts not developed by the R.F. Akres, Oken. Goodwich thepe beauty +2007. falls have served 65 800 test

Inter-Conference Missiles Three new andreasag field ten or cl-

men, to redo may receive his the \* What a margager \$60000 will cody down the LOX sizes or brook.

. We could still peak the deduct These are agendy becoming known, of



Digital Computer Touchtourd arborn digital appropria patch, has been desdoped by Northeap

probace retion. Computer which less which occupy specify charge of screek by-

Bell Puts Space Study Under New Division

religional plans out moves boward Opening on a least with seven rate: Bell correlance, the Names





District to other \$1.






Durable combustion from home serviced 150-boar Medel

HOW MODERN ZAT POWERPLANT DESIGN PROVIDES . ; ;

# Payload Superiority, Greater Flight Endurance and Range

GENERAL ELECTRIC TSB REFLECTS LATEST PROGRESS IN POWERMANT STATE-OF-THE-ART

TSFs has weight and for SFC offer belongers the law installed weight due measures find emergency word to project expendingly, increased fight endersons and longer range. The story belond this solder proveption droped Throughput, which was the solder provided to the longer TSF expensive. For example, the solder control of the control charge laws for the solder was expense ranged to end properly design son fewer an expense range to a efficient measures openering efficiency. A very parts concern which they relate to the laws of the solder of the solder control of the solder of the laws which design and the solder of the sol and high weight Highwaylist as processories technomics using a solid down tohand features short-cloud turbus looking which we to the high per rich could be about present and solid. Needle Tall-could be a short field, the TSB propert an agricum Needle TSB was equalled for harmon equipment processing from the angular TSB was equalled for harmon equipment processing from the TSB was equalled for harmon equipment processing and TSB because the state of the three states of the TSB colleged in states with the three in the Richard TSB to desired, internet the processing or the TSB colleged for the three three three three three three three three three TSB to desired, internet three three works to red TSB to desired, internet to be reduced to the three three



Production TBV: will entire 2000 by, weigh noty MF Re. DC generature are precised expensions of modern deelga the control of the production of the control of the control

Progress Is Our Most Important Product

GENERAL (2) ELECTRIC

#### AERONAUTICAL ENGINEERING









#### stayes deduced were ad compresse distor monedly is in conder. Can governor bedries order is shown at right T58 Engine Refined for Wider Uses

ride high power to weight sides while the property of the party of th Department's 1,000 sky dust TSS from Tree restriction for acolumn types sociate the Sansalv S-61 and S-63 and the Known PRINCS. duction countries eady next year, with propeller reduction give-

poresents providing greater sensibles over the eater TSS CE-2, which has Latter version incorporates a reducphot to management of the Lows. him your to reduce main dove that: runof from 21 500 to 6 000 com. To-Preserv dougo purpose of the TSS was application to believen the New's 1/814 sho specification, and prescribe

1.011 the with recode that consume stellation dephilits by bring a power

Other leateRellone In addition to believe the multitions Such susuitation would make per changes and as making socials, the believe by shootings of one curses comes's features was given recordly at GE's Soull Amost Parise Description

TSS is a stought through flow free tubor, conserver two introduction AVIATION WHIE March 17, 1655

a those-bearing type with the custor Front frame of the oppose to see

by means of a thorogon shutch.

(400 lb I with too high a specific field Crement Stategy configuration pro-rider weight of \$25 fb. for the \$35 GE-3 and \$67 fb. for the GR 6 receive rethont gare. Pressure ratio is 5.3.1 at



STARTER Stewn radd and accessors for TH.



DEST STACE TURBING WHITE, with cooling plots and sold





THERMS MOZZAZ STAGES, left to right few, second and third. Note beautreasts and an issue diameter of amount stage



AMATION WEEK, March 17, 1956



New! TWA Sky Club Economy Fares

extra for abound. It's the become barrows in the history of ay treed to the Crefinest! Make your reservations now Call your TWA travel cerest or nearest TWA office testor-Get more for year execut the the TWA Streether Plan. lease with the library TWA Time Pay Plan Only 1975, stoney.

New 1556 SETTINGS TABLE OF FURDER

to fit any budget Theifte Trurbs and

FLY THE FINEST ... FLY Decrees to a service must consed ascholishly by FRA. Missaurry Favor officians stand Let, subject to government approved.

AVAILON WIRE, More 17, 1945



DAMPERS between bucket cheels of powe



speem to despy for meioson blule Communication sear shaft is belief to ntenten a of soul two-trag for tase

19th stages are retroop! to the apple

R.C.Allen

DESIGNED TO YOUR REQUIREMENTS

VERBATILE

specify 3, C. Alice . . , previa in fight rounders times over. Prostrict air presuge and eless have conditions. R. C. Allen danged rate companyation from "SS"C to "OFC, Small, efficient, howeverally, scaled and stordy. Wete or sall for complete information.



Ilen Aircraft Instrument Company

#### Along Aluminum Ponder


Metaburer Products (APMP) upon a whole new area of special medica-

and production parts Editional by the 235 Opening reports are your new elloys so extranson for hot nic

syntable in guaranty They sachedo high in 900° F, and allow M430 Alcos crashes the heat harrier Metallargy Products withstoad temperatures up to \$00°F; open up NEW secielt and cost sacrage resistance. Strongels and stability are

Find you how Alone's amorning per APMF alogs can drags say regimes. Alumnum Company of America, 1800-C Alges Solding,





Afteredy in one, Alter's new APMF tiley MISS is giving de-pendicht service in Trait is Whitney Americh 178 as recen-

"NUCCA THE FRE" EXTRUMENTAL RESIDENCE STATES

TSS POWER TURBINE TEST EXPERIENCE

( perm in vanisation)

STRAIN GASES THEY MANS to but on with and watered departs depart their strain.

Hegiand reported He feels these

of found strang women. The ed strates women

Concentric Roses In addition to the rises for articuling

Actuating rise for the third steer w

Asset morns and and blomas after sain a drive coloured, on bank and tall it was

The North day includes described better being more of the control of the control

combile to thousand streams. This bears trade used), such it bets assist the

left and right hand searables to see oldy opposed. The two takes food alton

promyfunhare of steenless eiler nesewithen, you should check our facilities and shills for Stainless Steel & Titaniun

antipose of standers shed at 2000" F.

with no discortion, anidation, or loss of RODERIN DRIPPINGS PRINTS PORKER HAND BOOM PRO, Marriedle, Pa.



#### New SPS lightweight, high strength locknuts help you keep airframe weight down

A SEE on only a And his extra-centerally For more information on the full according all referribles, write for a copy of the SFS brokket "Commonling High Selfstrilles." A despiration of \$99 seconds they not five on FEW Series Software halo was Endowing surframe structural monders, FLW Series lookspale hough up to 40% last FLW indept-193,000 ps can,-expect process requirement of Covernment In addition to important strongs or weight, Papialoc PLM Sown bedown other the

advantages of trainer, and bestern chales. Presing budges are no a provided for the softer section—need for lockwarders, into two, corter pay or wrong a scoonly For your information, were for Catalog Start 2316, Agend-Mondry Designs.



Sprayed France Steel Sp. - For Chercold Sp. N. on Co. of Control Sp. S. Steel Steel Sp. No. of Co. of Control Co. of Control Co. of Control Co. of Control Co. of Co. of Control Co. of Co. of Control Co. of Co. of





to majorate belance. This comes are congs convoluting to described stability and long life of the annually

Each becket has a shock to isolate

here for second best

Sand rises are important components of relation recken, everaft and regions and here only the gaster of its man. Widdless rives are extent from weening formed from extended or solind here, and fisslywelded by madem electropically-controlled Spented to close to beganner. Once reducing reach many



No place



not respicuse turbine by element and . P. O. See 478 . Pindovek 20, Passe.

#### This is the Honeywell 3170 precision tape transport

a mot-mounted unit designed by the largest

transport-designed to provide augmentation IRRO specifications Complete mechanical and electrorac data are evadable on requestsociading opplication regimering evolutions.

Esterocky low "wew and fluctor." Tree speeds evaluable from 60 to 1.14 fps . . . Loss than 2 seconds start time and 1 second stop

Us to 14" mote with NARTH bule standard. In field characterize for tune widely of 147 to 25.

Precision excetan drive asymptor with realizable

back-conferm with IROG provifications. Honeywell



The receptive Housewell data occupition multiplexed FM, or PDM data recording to money of plan to amplifum Electronic corresponds have low sere and goes doft with temperature and voltage charges fligged. For detailed information, cell year local Henrywell field engineer . he's as over as



Passages between the bucket shreke technic General Electric environment shirted from this expiration by the

FUEL SPETEM merb new making minima

later-turbuse and of houseworks making using \$21 material, former used showed wasstalactory life accord

Dard stage turbing displaces in

to address to this mesons. They also AVAILABLES WITTE Mouth 17, 1658



STATE SALE STATE

· HECHANICS · STRUCTURES

· GEDNANCE IN EXPLOSIVES

A SUBSIDIARY OF UNITED INDUSTRIAL COR MINITAGERS AND BURNINGATURE relays by

Conglete experimental and protetype

And for information on anomal refer town. respect / reliable / sheek and vibration resistant -----

H4 2 - 45 .... PROSET PIECE



Decame must be finally branking many from the concest of almosphere proped by plobs, new problems of extrastories new postrast him. At Bandor-Porde, a bushy executive selection and angionering group is specializing in the solution of these pressures today. For tomorrow,

Alarete Paritir seriomes Ecourum who would like as hard their wagen in a piex Conseponducer is deld as qualificent. savific Bivision

ATTANCED TRIBLING FOR STRINGS AND PRODUCTS IS AUBSORNE BROSH, ... HERBANICO PROPERTY OF THE PROPERTY OF THE PARTY OF THE



For Til of Japania antigenessed believete solar cotal field or Bell Melecute Corp. about at Fast Words. Trees. Formed in scores pure eaching gens and

MILLYSthe nutbers of Labour

oke and an all fibr bypos sake, both ducharur property steller oil lerker GE6 is a structed induction offset do cets givern an generate sile speci

#### Convair Will Convert C-54s for Air Resene





completed by tending even in past of 682,800 og dr. of plant som for Commer 500 production. Correse 600 km; ir in backroomed. Parts Assembly





Bolishead of trust type is neareabled for wing of the 108 trumpost (aght). Start of surpa-mentally is sequented to begin April 18.













ANATON WIRE March 17, 1920





Russians Display

Rockets, Bombers when they are left out as the worker trade Brooks as the hertgooned. The Bill is a





CONTROLLED PRELOAD through **Built-in TORQUE CONTROL** 



No. Show Rivet Tool Company introduces an entirely new, controlled-proloned furnishing softed HE-LOK.

CONSISTENTLY CONTROLLED PRELOAD

PROGRESSIVE TICHTENNE HIGH WEIGHT SAYING VISUAL INSTITUTION ONLY

STANDARD FOWER AND HAND DEWERS:

1/16 GBP VARIATION Water for decided inchesced information on HI-LON

PIVET TOOL COMPANY 2420 WEST 247TH STREET - TORRANCE CALIFORNIA





Aircraft Engine Powers Boot

Atter's conception of hydrothil best, the east being developed by Meant they developed cory makes New Basses of Major continual, one meant queries be excessed 30 for each gray to before express enableful to Levering Distance of Aven Mij. Cop. Lycomag and materiates in the fast for hydrothil best. Amonth applications include Away  $HU^{\dagger}$  and Life Hard Best belonging.

Allison Establishes Propulsion Committee

Propulsion Committee
Advanced amounted propelous paters will be stocked at the Alpon Detrion of Concol Moders Corp by a 15uses. hered, the Albone Belerath
Advance Committee Design the open necessarial working, the poup such
accommission to the loss control
and the control working of the
intermediation to the loss control
infall softer and according towards
Laborators of the consentre such
Designation of the consentre in the
Theodore one Konner, Augmentation

requirements.
Chairman of the committee in Dr. Throdger con Kreinin, chairman carrier to USAV Societific Addisort board. Dr. von Karroom in international Dr. von Karroom in international Dr. von the chairman of Dr. von the chairman of the chairman of Dr. von the chairman of the chairman of Dr. von chairman of the chairman of the chairman of the chairman of Coreni Motors in Chairman of the chairm

send in NATO
View therem of the committee in
the Carent Medics in charge of the
OCAMI Medicals Mich College analysis of
the CAMI Medicals and the CAMI Medical
there is the CAMI Medical through the
through the CAMI Medical Medical
Technic Analysis of the Amendment of
the CAMI Medical Medical Medical
Technic Analysis of the Amendment
Vieweritte D. Wilder J. Zerres, possions
of gas Induced on the CAMI Medical
Technic Medicals School of Amendment
of the Medical Medical Medical
Technic Medicals School of Amendment
of the Medical Medical Medical
Technical Medical Medical
Technical Medical Medical
Technical Medical
Technical Medical
Technical Medical
Technical Medical
Technical

using Division of viro Mij. Cop. Lycomes, and bust. Amond applications include Amy HU1 and machanised cognoscome, Colofornia In strate of Technology, and Dr. Androno Leev. performer of openimistics and to be presented of productions of the contraction furnished of Emolitors, Polynes turbuse furnished of Emolitors, Polynes turbuse furnished of Emolitors, Poly-

> nevers Is addition to surrianceal scorage, Alexa will constit members of the consumers advaluable Closed-Circuit Tunnel Treats Let England

Tests Jet Engines

for engines santified as ascentiasses,
then are being ascentially instal as
a dual covered went based by
the far livers for forested and Develop-

need Commend, a well treat, boards of the Askall Registering Dickspones Design and the Askall Registering Dickspones Center and Tulkhome, Treat, which are stated under at reduction from 18 for 1100 repl. were a sale result and reside under at reduction from 18 for 1100 repl. were a sale result of the 1100 repl. were a sale result of the 1100 repl. were a sale result of the 100 repl. were a sale result of the 100 repl. were a sale result of the 100 repl. which is the sale of the 100 repl. which is the sale result of the 100 repl. which is the 100 repl. which is the sale result of the 100 repl. the 100 rep. the 100 rep



#### ENGINEERING reaction its peak!

one bank-took took datab felipan.

Tel data and well stronger that a felipan f

#### ROCKETDYNE IN







Remember -- Retinbility Is A Must At Doystrom Instrument

DAYSTROM INSTRUMENT

ARCHEALD, PENNA Ned Our Beetle Bis. 1912 through \$112 IRE Store, Most 24-27-9 AVADON WITH, MICH 17, 1996

Navy to Use Sub Unit For Altitude Testing



Sound Chamber Technicion abore not reset as bear of 4 000 cs. ft. of no per mon-sets 100 deci-

VAPOR HEATING CORPORATION



Overhand Firm Delivers 10,000th USAF Engine



City, Zene, State

Flores aund VAPOR WEED THERMAL SWITCH



made provision to deliver much larger quantities with their new Colorado Springs synchro facility



profeshes 2 pows and me new being had onto hold

TYPICAL SYSTEM MAABUREMENTS

Clifton Precision Products Co., Inc. Cliffon Haushite



### AVIONICS






# Stellar-Inertial Guidance Reduces Error

### Se Dr. R. B. Hookel' a Studie relations offstude, which can shark It want also be able to work dur-

tucker, however, percedes a colontal

Fundamental frecey of both types to the came. What differences read or reduce or ad encored temporary countries.

801,1 A315



AVAILEN WEST, Alexa 17, 1958



Our Armed Services' proper need for high-usered recording reproted formula Corporation-whose refery projects, fee-effer seeing them though from - chilles embodies of phoses of country sustains and done

Write, were or call flumoughs Cosporation Defense BURROUGHS CORPORATION



THE POREMOST NAME IN COMPUTATION



Digital Display

or condex by application of vallege to cule destroy execution. It she allows

. Propagatement tenestors, to which · Health together, which recent offsele to opposite at will over method

Stable Pierform In general automate magazine



could distribute and using which glow accuracy that fractions and unless than when refings is applied. Seven such stage. can be Lapt small it is hard to fire there

sight must be wonsted with at least

tucker agent (Fig. 3) on alterary regard, assing cophols or not ten



The amoter ident menors of a rice stomer IR redaton to rive







Swedish Alexette Mounts Redor

Sed Addition Absorbs belonged to the Sandah Nors a equipped with under
promptly in vision assemblement and a surptime. Big in distribute Khoud robe assemble to

considering sharing a civilia can, a support of questions depicted as a support of questions depicted as a desirable assumption of principal control and depicted assumptions of principal control and depicted assumptions of questions and depicted assumptions and de

respection. Methodologies from our lot expressed at following their constitutions with the physical constitution of the physical conduction of th

we can consider the set of the least of least of the least of least of the least of least of

longitude. When deux constitutes are applied to the industrial quantum, eyes been II) will give networken of med 3 wheth mixes about result in each copie altegrant with the store in present of the draw of the store in the store in the store in the store in the store of model and the store of model and the store of model and in the store of model and in medicating the stole overettem. Solithis storten of articular and without the store of medication and exclusion and exclusion and produce and provided by difference in medication and exclusion and expension for distinction in medication and exclusion and exclusio

High Accurery Needed

urbanustics that the guard cale of decope powder probles more as longgine confluences of tagenometra in the confluences of tagenometra in the confluences of tagenometra because in a set to confluence and to a superior of tagenometral, to 0.1 m or the settle of the confluence in the confluence of the confluence of the confluence of the confluence of the conceptationness better has that was one or to be a triming in the confluence of the confluence of the powder of transport of the confluence on its best almost a confluence of the confluence of the powder of transport of the confluence of the conf

6. Letters in inference, it is peopled to exceptible the thickneys prenting copitation.

Thus the processo (digital) conputation are to consid out in advance with ground operation and associate in a form which much planted back and acceptable in phase-why simple media operation in the statement contents.

gate both tennings vire salaries of conception.

Earlier mattern out said of the account is providing a window or weather in the extraord through which the control is providing a window or control to the control of the control of

AMAZION WIRK March 17, 1910

period directly as an error or intender. Face exquires that the loss of right free-



Margin for Error . . . None!

Yes not use your first payents the growth the first better the Landaus Space (Stein Group is not to pure pour read with the said of the first that and problem for place to the pure pour read with the said of the said that problem for first that the late is quested in the year of the said that the late is used to the said of the said that year the said of the said

posted refer benings for every field of encoupersones and industry.

10 WES SOLICE SEASONS DEVISION
PEDERAL-NO COLLEGIONS SEASONS LINE - SETTEMES 16. MICHIGAN

BOWER

ER BEARING



# TWA SPECIFIES URETHANE FOAM CUSHIONING

Personage constant is a highly comparities weakent in the sixting industry. which is one of the ressons why each strict and excelal testing precedes the selection of senting design and eachieving materials by major sixtines. It is also why the Signts Shoper wests of TWA's sheek, new Astronom\* brem see all full carbinned with noft, languings, early channels and

Many of the world's leading uphabote of furniture and secting designers. to combine lauranchur confert with design and februature economics.

If confert is one of the "conducts" you sell or have not accomissed with arethere foors and discover what you've here minused For further information and sources of supply for unothers factor, with

Mobey Chemical Company, Deen. A.1. Pitthursh 34, Po. \* PROPERTY IS A secretar many surrout to FREE applicable

Actor agains quelty denical and is the



A fluid theoretical possibility should

actually are. They effect as well frames,

eagle it is recessery to be able to nock with erody 100 all the brokker store so roder to not unforcited operational Other small factors which are cone on all the catast error were to be alla-



Compact Power Pack

partners, teaking our he down from noneffects of excellents system setting

Designing Application Is the prompted dense of a staller differences and temperature conferate

of the final year world then he \$500.

cance will be hut by ungovered profible it can be counciled with the coefficient, it is possible for such a

However, the use of a Doppler yes

Recent on unlitte of Access Work's special record on electronic



NEW PRESSURE TRANSPLICER: LOW VIRRATION ERROR AT 2000 CPS. 35G

Contribute this with \$17% resolution and you have truly remarkable performance Wher's mare, this new Model 717 Absolute Frequery Transducer is in volume production in ranges up to 4,000 pulp Simplicity is the brynche-on entirely any type of Boundars toke instrument eliminates linkage systems. There is only one maying part in the unit, and shall fairless is less from resolution. Over-oil result- excellent performance during high releasion ... datic error bond of in-O.E.Y. (Innexity, hydrocae and recentablished) New concepts in basic deagn are being combined with high performance in new Boursa occalicaments, pressure transducers, finant motion potentiomaters,

technical information on Hodel 717

and other electro-mechanismi devices. When your requirements need BOURNS Laboratories, Inc.

P.O. Soc 2112 - Riverside, Colifornia

the experience of a leader-leak to EQUENS





. . . only volume builder of highest quality

gyroscopes

production to the electral proofile time. Yet, these "an thoulest" government are conjudent such such precision that they can seem porters less of efficiency is not uncommon. New documents in 109, 10 x 109, 2 x 109, 1 x 109, and one evadeble for introducts delivery. If you one a grantenia in abstract or mathematic engreening, and would bis to the and work in Albertains, write Mr. Cool Sandoon, Reporting of AS IPARK FIND . THE STREETS WILL OWNERS OF GENERAL MOTORS.

terried Schioury Schious + Affectsoner Fool Controls + Scottian National Company + Programmy Fool Controls Condamb Sarbet Links + Over-Assistance tos + Surgeons + Sense Southers + S

# WESTERN GEAR drives



### REPORT FROM VESTERS SEAR-

Western Gear engineers and production technicisus have developed use, will immugit 4000 HP with precision and dependability!

Let Western Geer's leadership in advanced research, metallurgical experience and precision manufacturing methods reduce your giant size power transmission problems the same way - whether your







### (and we've never built a mouse trap in our lives) shifty. We made them waterproof.

Thold a better mean may," the old





### BUSINESS FLYING



# Dornier Building 15-20 Do.27s Monthly

Mesul-Fest oschunded Desser

and at angles of altrait, up to what

Ministers gove weight like PERFORMANCE CHARACTERISTICS: Nexual non-relati

Dorwier Do. 27 STOL Airplane



UK WHITE employees, shows how or described in the safety conditioned for since.

as flats only. Mildle success can be shought but not to the full defection

6 times better performance or 50% less weight-Honeywell's MIG (Min-

iature Integrating Gyro) Platform, Indice grees and there accelerements provide one cerenal reference platform for both arrando and acceleration information. Its performance is 6 times better compared so non-flowed planforms. It is 55 the volume of most inertial reference plurforms, weight 50% less.

See Firefore 619 inche discourse a O inches fone. Platfore Angelow Planters Brill Landers Dades Operating Temperature Stange

6.830 degett/boar Frand Duden-Trimmad so bes shan it 50 degrees per bone so heyony officeroom Wright Photion 25 yearsh Fine-form Electronics 25 people. Accelerances: Morrors Sans ±10 g Chapte Literary Ser pu sem to Lg Sco ph come to 12 g Noti Linconsens 8 0000 g Ginbal Freedom: 161 August for Days AW 9 KB, 2000 Edguny Road Movements 13, 4004400

> Honeywell H Military Products Group

> > AVAILABLE WITH MARK 17, 1955.

## HOW TO MOLD **HEAT-STABLE LAMINATES WITH**

DOW CORNING SILICONE RESINS Correlar ports, such as ket air durb and codomes, can be made easily with Day Coming whome lawlesting resins. Finished parts are Rahtwelaht, and retain high strength ofter prolonged palog at 500 F. Silicone gloss luminates have excellent wet electrical properties and low dielectric losses at rador frequencies. They can be drilled, machined, around or sampled. Here is the stem-buston proceedings for vacuum box melding of alliane-plass luminates.

# STEE I Fre-Impropreted pleas deth.

is hand tailaned to a form stable material. Where neces-STER S













Dow Corning CORPORATION





For takent under normal conditions







## NEW **AEROPRODUCTS** TURBO-PROPELLER

helps power the new Lackheed Electra into the air 56 days obered of schedule

Acreposkats 606 Tatho-Propeller is now desp-

Since the first Babe ... made 56 days about of schodule-the Electra has been underway on a Sight-test program proloningry to the start of rud CAA coefficient true to be income proposes to the power of the Aliene 501 engine. its stakey to provide manifests threat for fact take-off after abort ergued many and its blade Aerogroducts 606 Tuebo-Propeller in showing

for medians to short-roose unless severals. such advanced dungs funtures as believe steel. integral od supple. And, every Assocraducts. Assopreducts, with a harkerness of withins of

geogetter flight hours-has more turbe-propeller experience than all other American manufacterms combined. Find out how America's leadthe documer and producer of tratio-according dependshifty to your power-ofest designs.

Buttery protesy Dayway provinces Aeroproducts



ditions supposed on Germany to the

First Sold of the Do 35 was on Inno Clearly Durners, Ir., told Accuracy

AMAZION WEEK, March 17, 1959

The box is part of an air circula

DRIVATE LINES

Altitude held control for precurate:

Edo is studying replication of its emphilisten bymdest leeding gue to

557,000, a 5355 perio oser provious



When he closes that heavy steel It to preference test carborators at They exten test . and the exten feed an engine at this altitude. The make ours, before the unit lenger See for yourself, the bar difference







## Solid-fuel powered components for missile guidance and control

Sperry opens new leboratory for advanced design and development

From stunders to \$0,000 eyes as one-fifth accord-that's the performance recorded by a lineary solid monellastdonen gyroscope protesty developed for muside applicathe eye of paintly designers looking for lightweight anni-

It's also the eggest Sporry has built and staffed a com-Here work is as progress on propolarst-driven roto-

Farr to handle and control, solid properhysts may be stored indefinitely with no loss in shiftly to provide tremendous energy results. Flyer nothing parts are production of these high-consists on properties desires.







New U.S., Foreign Lightplanes





smasses They Money multiprotect offered in his faces for \$4,500, in proceed by Voltawaves grown and groups at \$5 mg/s. It groups 660 to, her \$7.50, waspepts.





OPPORTUNITIES FOR DESIGN ENGINEERS With over a quarter-billion buckler, more plan 59% assumented, Rate of you the shelfest service of feature envisors that independs service in force count and its beant becketed bed takes them and the manuscript

Perwed name to J.I. Nobel, Industrial Relations Manager, Belg Alexado



WHO'S WHERE

D. Weekel E Sell, ground memory,

N. A. Kelky, lender project engagest Anger MacDoneld Assotur of orginery Reduct E. Cron, disprovement ment

Walter Helms, chief auginore, Treas-ducer Electric, G. M. Grender & Co., Willes M. Makerin divisional emerger

net screen, Softwared Department, Con-Bon F. 348cs, chart improp decrease Fiel D. Williams, acceptant chapter of or

Ost Cheder W. Gordon (USAF, na.) Be Fleny G. Dishers by pand Stand Engagement, Sec., Planded, N. 3; he will Samuel Applica, yer proudest, Spray Day Good Nick, N. Y. Hestert Hores



Engineers: AVIATION HISTORY AT RYAN

the age 410 years of is just one emergis of the technical home throughs from a scherung in weather You'll find the tense high level of advanced engineering in other flyes projects With Above to day and bedrapered

RYAN MANAGE NAME OF TAXABLE PARTY.

 Number of State Can you in column to the property labeled continues, the property of the · Dark laters on Arritages of S

· In all to provide to good

The amount proof of the Fe cap of the Art of 88, 1 A. M-SONIE PROPERTY PACEAGO

RENEUAL GO ELECTRIC



EMPLOYMENT OPPORTUNITIES We detaile again to the second ballion of another man again to the common

----AND DESCRIPTION OF REAL PROPERTY. 

### TECHNICAL REPRESENTATIVES

Qualifications include

THE RESIDENCE OF SAME AND

age from Seven designated Martin Swa

any legality beyond of in the

IN ALL INTERNETS OF AVAILABLE

AVIATION WEEK

August \$30 pp.40, married richter LEAR, INC.



the beautiful and the

EX USAF OFFICER WANTED D. C. AREA

end presided circuit or missile experience in:

 Preliminary Design Fover Plant Besire

 Thermolesanics · Bectro-Mechanical Design Structural Dynamics

. Interest Flow Santonio · Stress Audysis - Restronie Circultre

Herizante and Presmutte Besire

New her makestilles rides

Writer Q. A. Bernsett, Jr. Deat 401

F O EGE 2257

ENGINEERS how feet are we moving ahead recontding MISSILE ENGINEFRING

> to see what the repetly GUIDED MISSILES

In deversity of problems & Trix clusters in suppliers served.

A ALEXAN MARKET PROPERTY Mercela Leve Island N.Y.

## SEARCHLIGHT SECTION

DESI DISSERT WITH DATER CARDO C 11A CRUMMAN

HECCHAY PAT TRADE-AVER CO. Sinder About Shots M A

FOR SALE C-46F AIRCRAFT Pessenger and Cores

Immediate Delivery THE PLYING THEIR LIST LIST. Buttank, Coff. Cult or Cable Period State Del Studen F.(RE) Cobb / Politics

FOR SALE \$148.600 INCT . 6. 120 EMS TOTAL THAN 3500 HES THE THE DUAL INSTS PULL ROW BALL Samuel Lifet Cath Search Cath Halle

C-47'S FOR SALE DC-8'S BEE AND CONTRACTOR MARKET CONTRACTOR SPECIALISTS IN TRUCKLAS, COMMAIN, CONTISS, LOCKNICO AND RESPONSED APPROXIMATE **AVIATION PARTS & EQUIPMENT** 40 Chinem Ann., San Velley, Cold. | STudy 7 STEE - Color APPRAGE

DOLLAR BOOK BY North Mark Of ANN 817-156 Well specified

CHARF RIFLD CHICAGO

FOR IMMEDIATE SALE LOCKHEED LODESTAR Setal No. 2003 Bloomide 1,4338, Salley, Texas

Total Cabbs

Per CitA.

Three Caste

I & J TRADING

Don \$5 1 50

MALONIER METION

OF DELAMAN, THE

my los re more

EOR SALE DC4B or E CASE on A MERCALLY VALUE OF THE PARTY OF

Andred to Scale: let Engine

BORS B1340 B3000 ENGINE WORKS End theely

HANCARS Bill Home Stand 1987 often most Witten Filler

When Answering BOX NUMBES . . .

Quick Sale Price \$75,000

CHE 20023 VARIE MINES

Transport Scorinfists

CARRIAT OVERNIS

Bucky Covery Corts

Couples ... Southerd

IN ALL INTERCETO

AVIATION WEEK



The New A-MP "24-20" Terrorral of the coodless features of the A-MP to recent subcoring, shock and similar

special emphasis on the next for atreases ancountered in wire confirm- weight and space novince to important figure in every industry. They retain all in today's equipment design.

Posterior of the New AMP TRAINS Transland and Emperature serving

distriction of any way specification. 1 Nylon implies delign of the terminal's tragger insulated for the many feverable advantages are allock maximum orbitalism of the provided by this critishs resolving material. Section induces supported characteristics.



AMP INCORPORATED 100 England Redword, Herrery, To. Societa AMP de Presco, Le Pre St. German, Scane, France

Directivates in Japany Oriented Treatment Produces Co., Ltd., Tokyo, Japan

### ADVERTISERS IN THIS ISSUE

AVIATION WHEE, MARCH 11, 1951 Walter and the same where the sale the sales his say

Sentence Committee PARTY OF THE

actific (Stant) (Str. of the second second second THE PERSON NAMED IN

COLL AND PROVIDE AND ADDRESS OF THE PROVIDE ADDRESS OF THE PR

APPLACEDANT - P. O. THESE CASE OF of Trace of Jan Pillar Beller PRINTED BUILDING THEORY OF PROMOTES STREET, STREET, STREET,

er france me anna de la principa cano a como a de la principa de la principa cano a STATE OF STREET PURTURE CONTRACT LAND CONTRACT

1007 1007 10 100 10 with devil the party

SOUR REPORTED A Charles Land age to Stings want int.

Religibility HISTORY of the H-A Gura



ministure gyre migrasyms, temperature triant integrity have been repeated ever the range from -45'F to 1900'F.

16 steroawas were subtrated as fellows: Propedare-

(b) 232 full temperature ignerates in four -MATE SA D'F to +75°F +75"F to +140" +140°F 16 +200°F

100 Narte Street, Marwood, Manuschinetts

of Persons and in Francisco

## LETTERS

Tail Giveaway

Assume Fork selectors the epision of its treater on the intent saxed in the Kangasum's off-tended relation. Address british to the Editor, designer Perch 50 F. Adad S., Now York Mr. N. T. For the heap fraints under 200 merch and give a primare intentification. For off-time prior apartymapy bears, he means of wither add to be means of wither add to authority.

(Store and region here America Cold Facts If they (AEA) accomplish what they de-sented in reference to the cells (AW Date 9, p. 45 and Fain 18 p. 45), refere manage most might below range and term cereb (long over to AEA). Then as apparently I seek to stood up and in record or regimes of Cherica McMonroe (AW Jan

"Captains' Union . . . .'

... For "Simple" Jets? I have rested a few wants which I dod plot or fight enginer continuers your

The ALPA bases that order recessor What would a think print the These One of the meet degreeched phylos as that at the copiles. As the morphos than it The their pilet art care would be like a bookall been such reprose a hilliark.

Neglected Danger You sages a Avenue West of the Decree of your confine severage, call

Cruising Speed

Be Tenne 'O' Sau Dat' or o 15

ANAJION WITE Meets IX 1536



# balanced-armature relays solve environmental problems



... unique design gives high resistance to shock, acceleration, vibration

Typical Rolings













New materials, capable of withstanding extremely high temperatures and encompassing properties that meet specific requirements are now being greated at Servomechanisms' Research Laboratory. SMI's research has been in the field of solid state physics, wherein the study of basic atonic and molecular properties of matter has resulted in materials that can actually be designed to accomplish specific tasks. The challenging space age will depend heavily upon sout hetchinquer.

Major scientific break-throughs in the "State of the Art" have already resulted in new materials capable of operating at 500°C and new investigations indicate that this upper limit may be extended to I000°C.

The above illustration pictures an experimental hot press, developed by SMI, for basic investigations into these new materials. The press subjects various compounds to 3,600°C and 6,000 PSI in a vacuum or inert gas.

These new advances are providing positive support to the ever-increasing requirements of the Department of Defense. The expanding Research Laboratory facilities are ready to assist you in your advanced scientific programs.



GENERAL OFFICES

SUBSYSTEMS DIVISION MECHATROL DIVISION SPECIAL PRODUCTS DIVISION RESEARCH LABORATORY
Hawthorne, California Westbury, L.I., New York Hawthorne, California Goleta. Cajifornia
The products of SMI zea available in Canada and throughout the world through Appendix (Canada) Limited Troopies 15. Optation